Public Document No. 23

EIGHTY-FIFTH ANNUAL REPORT

OF

THE TRUSTEES

OF THE

WORCESTER STATE HOSPITAL

FOR THE

YEAR ENDING NOVEMBER 30, 1917.

BOSTON:
WRIGHT & POTTER PRINTING CO., STATE PRINTERS,
32 DERNE STREET,
1918.

Public Document No. 23

EIGHTY-FIFTH ANNUAL REPORT

OF

THE TRUSTEES

OF THE

WORCESTER STATE HOSPITAL

FOR THE

YEAR ENDING NOVEMBER 30, 1917.

BOSTON:
WRIGHT & POTTER PRINTING CO., STATE PRINTERS,
32 DERNE STREET,
1918.

Publication of this Document
approved by the
Supervisor of Administration.

362.2M3
W92r
1917
B

CONTENTS.

	PAGE
Report of the Trustees,	7
Report of the Superintendent,	9
Laboratory Report,	16
Valuation,	19
Report of Treasurer,	20
Statement of Funds,	27
Statistics,	31

OFFICERS OF THE HOSPITAL.

TRUSTEES.

ELLEN A. SHEEHAN,	WORCESTER.
GEORGIE A. BACON,	WORCESTER.
WILLIAM J. DELEHANTY,	WORCESTER.
EDWARD F. FLETCHER,	WORCESTER.
AMOS B. CHASE,	LYNN.
JOHN G. PERMAN,	WORCESTER.
DONALD GORDON,	BOSTON.

RESIDENT OFFICERS.

ERNEST V. SCRIBNER, M.D.,	*Superintendent.*
B. HENRY MASON, M.D.,	*Assistant Superintendent.*
DONALD R. GILFILLAN, M.D.,	*Assistant Physician.*
ARTHUR H. MOUNTFORD, M.D.,	*Assistant Physician.*
CLARENCE A. BONNER, M.D.,	*Assistant Physician.*
JAMES T. ADAMS, M.D.,	*Assistant Physician.*
JOHN C. LINDSAY, M.D.,	*Assistant Physician.*
MARIE S. LINDSAY, M.D.,	*Assistant Physician.*
MARIAN K. LIBBY,	*Director of Industrial Therapeutics.*
EMMA J. WRIGHT,	*Superintendent of Nurses.*
ARTHUR E. GILMAN,	*Steward.*
LILLIAN G. CARR,	*Matron.*
JOSEPH T. REYNOLDS,	*Farmer.*

NONRESIDENT OFFICERS.

—— ——,	*Pathologist.*
HOWARD BEAL, M.D.,	*Consulting Surgeon.*
JENNIE A. HARRINGTON,	*Social Service Worker.*
WAYNE F. SHIPMAN, D.D.S.,	*Dentist.*
GEORGE E. PARESEAU,	*Druggist.*
JESSIE M. D. HAMILTON,	*Clerk.*
JAMES DICKISON, JR.,	*Engineer.*

Digitized by the Internet Archive
in 2010 with funding from
University of Massachusetts Amherst

http://www.archive.org/details/annualreportoftr120worc

The Commonwealth of Massachusetts.

TRUSTEES' REPORT.

To His Excellency the Governor and the Honorable Council.

The trustees of the Worcester State Hospital respectfully submit their eighty-fifth annual report and solicit your careful consideration of the reports of the superintendent and treasurer which are appended.

The year's record shows few accomplishments by way of repairs and improvements, the Legislature having granted appropriations to meet only one of the institution's needs, — its sewage disposal.

After years of agitation the hospital's sewage is now a part of that of the city of Worcester, and all possible menace to the health of the adjacent community has been averted.

We earnestly call your attention to the needs of the hospital as outlined in last year's report, the most immediate being the construction of a laundry and industrial building, the installation of a cold-storage plant, the renewal of plumbing in the main building, and sufficient means for an increase in wages and salaries.

The first — the construction of a laundry and industrial building — is a vital need in these days of conservation, inasmuch as the present laundry could then be converted into a congregate dining room. Numerous ward dining rooms, as now exist, are conducive to waste of material and energy. A congregate dining room tends to better supervision, more efficient service and greater economy in the distribution and use of food.

The second — the installation of a cold-storage plant — is another conservation measure. It would allow larger purchases of supplies at low cost and promote more intensive farming.

The third — the renewal of plumbing in the main building — is a crying need, and if delayed too long may cause health conditions which would be deplored.

The fourth — sufficient means for an increase in wages and salaries — we cannot urge too strongly, as the institution faces an issue which cannot otherwise be met. The present cost of living, the demand for skilled workers which far exceeds the supply, and the calls to service issued by the government in its hour of need are disturbing factors in a situation that already has many complications.

The contemplated standardization of salaries threatens to deplete the medical staff, when promotion of those who have shown a capacity for excellent work does not bring an adequate advance, but appointment to the staff of another institution will secure the proper increase.

One need, stated last year, no longer exists. Through the generosity of an interested friend funds were provided for the purchase of additional land at Hope Cemetery. This has enabled the hospital to care for its unclaimed dead. To this friend we would express our deep gratification.

The year has brought many changes in our corps of workers. To those who have left we wish success. To those who have remained we extend our sincere thanks.

To our devoted superintendent and his staff we tender full appreciation of their efforts, and express the belief that the affairs of the institution have been wisely administered.

Respectfully submitted,

ELLEN A. SHEEHAN.
GEORGIE A. BACON.
WILLIAM J. DELEHANTY.
EDWARD F. FLETCHER.
AMOS B. CHASE.
JOHN G. PERMAN.
DONALD GORDON.

Nov. 30, 1917.

SUPERINTENDENT'S REPORT.

To the Trustees of the Worcester State Hospital.

I herewith respectfully submit the following report of the hospital for the year ending Nov. 30, 1917, it being the eighty-fifth annual report.

There remained on the hospital books Oct. 1, 1916, 1,696 patients, — 917 men and 779 women. During the year ending Sept. 30, 1917, there were admitted 716 patients, — 409 men and 307 women. Six hundred and thirty-eight patients — 402 men and 236 women — were discharged from the hospital. Of this number, 373 patients — 239 men and 134 women — were discharged; 168 patients — 90 men and 78 women — died; 97 patients — 73 men and 24 women — were transferred, leaving at the end of the statistical year 1,774 patients, — 924 men and 850 women. One thousand five hundred and forty patients — 819 men and 721 women — were actually in the hospital. Of this number, 1,321 were supported by the State, 109 by friends and 110 as reimbursing patients. Of the patients discharged 99 were reported as recovered, 162 as improved and 84 as not improved. Twenty men and 8 women were discharged as not insane. Forty-seven men and 1 woman were transferred by the Massachusetts Commission on Mental Diseases to the Grafton State Hospital; 2 men and 6 women to the State Infirmary at Tewksbury; 22 men and 13 women to the Gardner State Colony; 1 man to Herbert Hall; 1 man to the Taunton State Hospital; 1 woman to the Medfield State Hospital; 1 woman to the Westborough State Hospital; 1 woman to the Northampton State Hospital; and 1 woman to the McLean Hospital. Nine men and 3 women were removed from the State, and 9 men and 3 women were deported.

There remained in the hospital at the end of the year 84 patients more than at the beginning. The smallest number under treatment on any one day was 1,495, and the largest, 1,641. The daily average number was 1,556.65.

The percentage of recoveries, calculated upon the number of discharges and deaths, was 15.5 ; calculated upon the number of admissions it was 13.8.

The death rate was 6.9, calculated on the whole number of patients under treatment, and 10.7, calculated on the daily average number.

Though the number of patients admitted during the year has been appreciably less than that of the year before, the number remaining in the hospital is greater, due to a lessened number of discharges. It is pleasant to note that the percentage of recoveries has been higher and the percentage of deaths lower. It would be difficult, however, to draw conclusions of much value from the statistics of a single year. Of the patients admitted for the first time more than half were foreign born, some twenty different countries being represented. In type of disease dementia præcox leads by a large margin, followed by senility, alcoholism and general paralysis, in the order given. Of the general paralytics nearly one-half were women. Considering the ages at which first attacks of insanity occurred it seems, as perhaps it would be reasonable to expect, that the greatest prevalence of insanity is during the periods of the greatest mental and physical activities. A study of environment seems to show quite conclusively that general paralysis is many times more frequent in persons admitted from urban than from rural communities. This is also true in lesser degree of dementia præcox and alcoholism.

In considering the type of mental disease in the readmitted cases dementia præcox stands easily first, with manic-depressive, alcoholism and general paralysis following.

Pneumonia has been by far the greatest cause of death, followed by different forms of heart disease, general paralysis and tuberculosis.

The general health of the house has been good. A few cases of contagious disease have developed, all of which had a favorable outcome. Strict quarantine quickly controlled the spread of disease and no general outbreak occurred.

With the increasing number of patients has come increased work and responsibility for the medical staff; this, too, at a time when the national demands are imperative and must be

met. Although lessened in numbers, the whole staff has responded to the emergency in a way which is most gratifying and commendable.

The use of salvarsan in the treatment of general paralysis and other syphilitic affections has been continued, in many instances with very gratifying results. The experience which we have had with the use of this remedy here has been that while it has not proven to be quite such a specific in the treatment of syphilis as was at first hoped for, still very great improvement often follows its use, and, in the light of our present knowledge, it seems the drug which exercises the greatest curative effect. In treating our patients here we suffer one great handicap in the element of time. The vast majority of cases received here represent the failures in outside practice, and do not reach us until in an advanced state of disease. To have the best results salvarsan like many another drug should be administered as early as possible in the course of the disease, before too serious injury has been inflicted on the nervous system.

In furtherance of the medical work a complete outfit of X-ray apparatus has been purchased, which will soon be installed and is expected to add much to our ability to more accurately diagnose and treat many cases which have hitherto been obscure.

The work of the therapeutic industries has prospered and has done much to interest our patients and to assist in promoting recovery. I regard this work as one of the most important remedial agencies that we have at hand with which to combat that apathy and lack of interest which is too often prominent in cases of mental disease. The Christmas sale of articles manufactured by the patients in this department was quite successful. Quite a little work has also been done by our patients in aid of the Red Cross.

An unusual number of changes have occurred in the staff during the past year, in some instances due to the fact that positions could be had in other institutions at considerably increased salary, and in others to the exigencies of the military service.

Early in the year the pathologist, Dr. Gosline, resigned his position to accept an appointment on the staff of an institution in another State. Dr. Herbert E. Thompson, pathologist at the

State hospital in Bangor, Me., was secured to fill the vacancy. Dr. Thompson entered upon his work with every promise of becoming a valuable man. After a residence of only a few months another position was offered him in Maine at such a substantial increase in salary that it could not be met here. It is to be regretted that when a man of Dr. Thompson's experience and attainments has been secured a more ample compensation cannot be offered. A successor to Dr. Thompson has not yet been found. The work of the laboratory is now being carried on by an experienced and competent assistant, who is making the examinations of clinical specimens and classifying and preparing for study the autopsy material.

Dr. Gilfillan was granted indefinite leave of absence to enter the medical service of the United States Army. Much as we needed his services here it was felt that his country needed him more. It is my hope that he may at some time return to us. The resignations of Dr. Arey and his wife were given that they might enter the service of another institution whose staff had been depleted by the demands of the military service. I have been fortunate in securing capable and well-recommended persons to fill some of the vacancies, but the medical staff is still short of our customary number. Our social worker, Miss Donohoe, who has given faithful and efficient service, resigned to accept a more lucrative position at the Boston State Hospital. Miss Jennie Harrington, who is a woman of experience and comes well recommended, has been appointed to fill the vacancy. The position of matron has been filled by the promotion of Miss Lillian G. Carr.

Appointments.

Dr. Harry J. Hagerty, Dec. 1, 1916.
Dr. Clarence A. Bonner, Dec. 27, 1916.
Dr. Herbert E. Thompson, March 1, 1917.
Dr. James T. Adams, June 6, 1917.
Dr. John C. Lindsay, Sept. 17, 1917.
Dr. Marie S. Lindsay, Sept. 17, 1917.

Resignations.

Dr. Harold I. Gosline, Dec. 31, 1916.
Dr. Lillian L. MacPhee, Feb. 1, 1917.
Dr. Harry J. Hagerty, March 31, 1917.
Dr. Harold C. Arey, Sept. 3, 1917.
Dr. Jennie McIntosh-Arey, Sept. 3, 1917.
Dr. Herbert E. Thompson, Sept. 25, 1917.

The large wages and the demand for workers in almost all lines of industrial effort in the community have made it unusually difficult to secure and retain in the service faithful persons who are competent to do the work. It has been found possible to make some small increases in wages which have helped in some measure to stay the exodus of our employees. It is to be hoped that the report of the standardization board to the incoming Legislature will recommend such substantial salary increases as will make the institution service more attractive.

Sixteen persons who were in the employ of this hospital have resigned and enlisted in the United States service. I am greatly gratified at the loyal attitude of these men, and feel that they will give a good account of themselves. I hope that all may return to us.

On the farm, as in other departments, it has been difficult, much of the time impossible, to secure, at the wages which we have been able to offer, farm laborers in sufficient numbers to properly carry on the work there. More than ever have we been dependent upon the assistance derived from the labor of patients. Notwithstanding this handicap the farm has been very productive and profitable in its general operations. The abundant supply of fresh vegetables has contributed in no small way to the maintenance of our large family, and has very materially assisted in the conservation of our other food supplies.

Our general dietary has been altered to so far as possible co-operate with the efforts of the food conservator to so control home consumption as to interfere as little as possible with the proper feeding of our national armies. A special effort has been made to reduce our consumption of meat, sugar and wheat. A generous diet has still been found possible, even with a limitation in the use of the above-mentioned articles of diet. It is

highly probable that our food conservation experiences will have valuable lessons, which, when once learned, will teach us how to permanently conserve our food supplies, even when the urgency of the present national emergency has passed. That our farm products can be made to contribute more largely to our support I am well persuaded.

It gives me great gratification to be able to report that the proper disposal of the hospital sewage, which for more than a decade has agitated the hospital authorities and the neighboring public, has at last been satisfactorily accomplished by connecting our system with that of the city of Worcester, so that now all sewage from the institution flows into the city mains. After advertising for bids no contractor could be found who would name a price for which he would undertake to perform the work that would come within the appropriation. Under these conditions it became necessary for the institution to become its own contractor. The trenching was done largely by the labor of patients. By this means it has been found possible to accomplish the work very satisfactorily, and a very substantial sum from the appropriation will revert to the State treasury.

I again call your attention to the requests for special appropriations as outlined in the reports of the last two years. The same needs exist, even intensified. If the exigency of the times forbids attention to all our wants, perhaps the congregate dining room and the ward plumbing are among the most urgent at the main institution.

The new building for 50 men at Hillside has been completed, but as an adequate water supply has not yet been provided, nor sewage disposal arranged for, it will probably not be ready for occupancy before spring. For a time, while the amount remains small, the sewage can well be taken care of by surface irrigation. As a permanent means of sewage disposal this method would hardly suffice. With the necessary increase in the numbers of employees at this farm colony additional housing facilities should be provided for them. This can be accomplished either by alteration and enlargement of the existing farm buildings or by the erection of a new building near the present structures.

I wish to thank officers and employees for the faithful service which they have rendered.

I am pleased to report that, through the generosity of an anonymous friend, additional land has been acquired at Hope Cemetery, enlarging the hospital lot to such an extent as to provide for present needs and those of the immediate future. To this unknown friend the thanks of the institution are due.

Regular religious services have been held every Sunday.

Thanks are due to the publishers of the "Fitchburg Sentinel" for a copy of their paper and to the Worcester Employment Society for sewing done.

E. V. SCRIBNER,
Superintendent.

Nov. 30, 1917.

LABORATORY REPORT.

To the Superintendent of the Worcester State Hospital.

I respectfully submit the report of the laboratory work for the year ending Nov. 30, 1917.

The following routine work has been completed: —

Urinalysis,	1,063
Cerebrospinal fluid examinations,	188
Post-mortem cultures,	80
Smears from post-mortem cultures,	26
Smears from lung, post mortem,	18
Smears from middle ear, post mortem,	2
Smears from scalp, post mortem,	1
Smears from heart, post mortem,	3
Smears from peritoneal cavity, post mortem,	2
Smears from kidneys, post mortem,	2
Smears from gall bladder,	2
Sputum examinations,	46
Throat cultures,	10
Smears from throat,	8
Eye smears,	1
Abscess smears,	3
Vaginal smears,	13
Stomach contents,	4
Fecal examinations,	9
Blood examinations,	15
Total,	1,496

Seventy-two autopsies were performed, and the following psychiatric diagnoses of the cases follow: —

Psychoses: —

Senile,	15
Cerebral arteriosclerosis,	18
Dementia præcox,	5
Manic-depressive,	8
Paranoid condition,	1

General paralysis,	16
Alcoholic,	4
Exhaustion delirium,	1
Huntington's chorea,	2
With constitutional psychopathic inferiority,	1
With mental deficiency,	1
Total,	72

The major anatomical diagnoses were: —

Tuberculosis,	7
Acute bronchitis,	2
Broncho-pneumonia,	11
Lobar pneumonia,	10
Pulmonary œdema,	1
Pulmonary abscess,	1
Chronic myocarditis,	2
Pernicious anemia,	1
Cardiac paralysis,	1
Cardiac thrombosis,	2
Cardio vascular renal disease,	2
Arteriosclerosis,	5
Chronic endocarditis,	1
Colitis,	1
Acute gastritis,	1
Acute gastric dilatation,	1
Cholelithiasis; empyema of gall bladder,	1
Ulcerative proctitis and sigmoiditis,	1
Carcinoma of stomach,	1
Septicæmia,	1
Formaldehyde poisoning,	1
General paralysis,	12
Cerebrospinal syphilis,	2
Cerebral hemorrhage,	2
Huntington's chorea,	1
Acute dilatation of stomach,	1
Chronic nephritis,	1
Total,	73

Though the resignation of Dr. Thompson has made the laboratory work more difficult, autopsies, urinalyses, sputum and cerebrospinal fluid examinations have been made as usual. Besides the regular routine work considerable time has been

devoted to the study of special cases, such as Huntington's chorea, general paralysis and older cases of brain tumor. Photomicrographs of interesting specimens have been made and filed with the case histories.

Papers on "Dementia Præcox" and on "Interpeduncular Tumors" were written by Dr. Gosline. Dr. Thompson also published a paper on "Brain Tumors."

J. H. STEAN,
Laboratory Assistant.

Nov. 30, 1917.

VALUATION.

Nov. 30, 1917.

Real Estate.

Land (578 acres),	$427,080 00
Buildings,	1,612,486 31
	$2,039,566 31

Personal Property.

Travel, etc.,	$7,390 19
Food,	9,161 33
Clothing,	13,467 16
Furnishings,	93,850 27
Heat, light and power,	5,712 35
Repairs and improvements,	5,378 94
Farm, stable and grounds,	49,341 25
Medical and general care,	18,602 78
Industries,	1,921 98
	$204,826 25

Summary.

Real estate,	$2,039,566 31
Personal property,	204,826 25
	$2,244,392 56

TREASURER'S REPORT.

To the Trustees of the Worcester State Hospital.

I respectfully submit the following report of the finances of this institution for the fiscal year ending Nov. 30, 1917: —

CASH ACCOUNT.

Balance Dec. 1, 1916,			$12,440 67
Receipts.			
Institution Receipts.			
Board of inmates: —			
Private,	$32,369 25		
Reimbursements, insane,	19,807 52		
		$52,176 77	
Sales: —			
Travel, transportation and office expenses,	$52 25		
Food,	595 71		
Clothing and materials,	185 56		
Furnishings and household supplies,	209 27		
Medical and general care,	8 15		
Heat, light and power,	6 49		
Farm and stable: —			
Cows and calves, $462 75			
Hides, 46 65			
Vegetables, 150 00			
Sundries, 132 59			
	791 99		
Repairs, ordinary,	2 40		
		1,851 82	
Miscellaneous receipts: —			
Interest on bank balances,	$520 86		
Sundries,	166 95		
		687 81	
			54,716 40
Sales, account of industries fund,			289 30
Receipts from Treasury of Commonwealth.			
Maintenance appropriations: —			
Balance of 1916,		$8,417 09	
Advance money (amount on hand November 30),		30,000 00	
Approved schedules of 1917,	$395,851 52		
Less returned,	32 50		
		395,819 02	
			434,236 11
Special appropriations,			4,327 74
Industries fund,			226 65
Total,			$506,236 87

Payments.

To treasury of Commonwealth: —		
Institution receipts,		$54,716 40
Industries fund,		289 30
Maintenance appropriations: —		
Balance November schedule, 1916,	$20,857 76	
Eleven months' schedules, 1917,	395,819 02	
November advances,	12,390 27	
		429,067 05
Special appropriations: —		
Approved schedules,		4,327 74
Industries fund: —		
Approved schedules,		226 65
Balance Nov. 30, 1917: —		
In bank,	$16,790 16	
In office,	819 57	
		17,609 73
Total,		$506,236 87

MAINTENANCE.

Appropriation, current year,	$431,365 00
Expenses (as analyzed below),	431,028 52
Balance reverting to treasury of Commonwealth,	$336 48

Analysis of Expenses.

Salaries, wages: —		
Ernest V. Scribner, M.D., superintendent,	$3,526 88	
General administration,	41,403 39	
Medical service,	14,068 37	
Ward service (male),	30,804 39	
Ward service (female),	32,093 58	
Repairs,	16,293 04	
Farm and stable,	14,207 38	
Grounds,	1,296 77	
		$153,693 80
Religious instruction: —		
Catholic,	$600 00	
Jewish,	260 00	
Protestant,	190 00	
		1,050 00
Travel, transportation and office expenses: —		
Advertising,	$254 97	
Automobile repairs and supplies,	1,393 59	
Postage,	752 05	
Printing and binding,	679 61	
Printing annual report,	191 97	
Stationery and office supplies,	1,341 72	
Telephone and telegraph,	772 54	
Travel,	1,196 25	
Freight,	12 82	
		6,595 52
Amount carried forward,		$161,339 32

Amount brought forward,		$161,339 32
Food: —		
Butter,	$6,501 61	
Butterine,	6,881 62	
Beans,	2,257 22	
Bread, crackers, etc.,	360 48	
Canned soups,	41 29	
Cereals, rice, meal, etc.,	4,521 45	
Cheese,	509 36	
Eggs,	10,422 22	
Flour,	19,935 13	
Fish (fresh, cured and canned),	6,234 24	
Fruit (fresh),	1,052 07	
Fruit (dried and preserved),	2,217 33	
Lard and substitutes,	2,557 02	
Macaroni and spaghetti,	887 16	
Meats,	31,464 81	
Milk (fresh and substitutes),	99 47	
Molasses and syrups,	665 89	
Potatoes,	8,293 62	
Seasonings and condiments,	753 91	
Sugar,	6,041 08	
Tea, coffee, cocoa, etc.,	2,263 83	
Vegetables (fresh),	375 70	
Vegetables (canned and dried),	907 55	
Yeast, baking powder, etc.,	220 84	
Freight,	452 77	
		115,917 67
Clothing and materials: —		
Boots, shoes and rubbers,	$2,097 34	
Clothing (outer),	3,052 61	
Clothing (under),	909 96	
Dry goods for clothing,	2,992 28	
Hats and caps,	51 25	
Leather and shoe findings,	125 13	
Socks and small wares,	719 41	
Freight,	50 97	
		9,998 95
Furnishings and household supplies: —		
Beds, bedding, etc.,	$10,533 78	
Carpets, rugs, etc.,	1,846 49	
Crockery, glassware, cutlery, etc.,	2,368 07	
Dry goods and small wares,	339 66	
Fire hose and extinguishers,	19 00	
Furniture, upholstery, etc.,	1,030 59	
Kitchen and household wares,	3,632 21	
Laundry supplies and materials,	1,958 94	
Lavatory supplies and disinfectants,	1,446 17	
Machinery for manufacturing,	1 85	
Table linen, paper napkins, towels, etc.,	4,003 91	
Freight,	127 73	
Electric lamps,	448 09	
		27,756 49
Amount carried forward,		$315,012 43

Amount brought forward,		$315,012 43
Medical and general care: —		
Books, periodicals, etc.,	$547 79	
Entertainments, games, etc.,	836 55	
Funeral expenses,	536 00	
Gratuities,	77 95	
Ice and refrigeration,	407 21	
Laboratory supplies and apparatus,	710 33	
Manual training supplies,	237 83	
Medicines (supplies and apparatus),	6,371 32	
Medical attendance (extra),	835 20	
Patients boarded out,	5,635 22	
Return of runaways,	116 88	
Tobacco, pipes, matches,	1,551 35	
Water,	7,323 87	
Freight,	48 94	
		25,236 44
Heat, light and power: —		
Coal,	$50,143 08	
Gas,	619 69	
Oil,	227 12	
Operating supplies for boilers and engines,	211 49	
Freight,	11 83	
		51,213 21
Farm and stable: —		
Bedding materials,	$205 40	
Blacksmithing and supplies,	594 82	
Carriages, wagons and repairs,	356 35	
Dairy equipment and supplies,	48 25	
Fencing materials,	77 49	
Fertilizers,	465 55	
Grain, etc.,	13,421 02	
Hay,	689 38	
Harnesses and repairs,	312 50	
Horses,	1,600 00	
Cows,	1,990 00	
Other live stock,	423 50	
Labor (not on pay roll),	77 09	
Rent,	250 00	
Spraying materials,	56 94	
Stable and barn supplies,	308 27	
Tools, implements, machines, etc.,	2,022 20	
Trees, vines, seeds, etc.,	220 01	
Veterinary services, supplies, etc.,	173 56	
Freight,	34 07	
		23,326 40
Grounds: —		
Fertilizers,	$49 77	
Road work and materials,	281 61	
Tools, implements, machines, etc.,	91 01	
Trees, vines, shrubs, seeds, etc.,	105 35	
Freight,	3 44	
		531 18
Amount carried forward,		$415,319 66

Amount brought forward,		$415,319 66
Repairs, ordinary: —		
Cement, lime, crushed stone, etc.,	$288 19	
Electrical work and supplies,	998 43	
Hardware, iron, steel, etc.,	1,595 86	
Lumber, etc. (including finished products),	3,627 73	
Paint, oil, glass, etc.,	3,710 65	
Plumbing and supplies,	2,657 97	
Roofing and materials,	621 25	
Steam fittings and supplies,	869 36	
Tents, awnings, etc.,	22 50	
Tools, machines, etc.,	1,037 66	
Boilers, repairs,	220 34	
Engines, repairs,	9 50	
Freight,	49 42	
		15,708 86
Total expenses for maintenance,		$431,028 52

Special Appropriations.

Balance Dec. 1, 1916,	$3,956 72
Appropriations for fiscal year,	5,000 00
Total,	$8,956 72
Expended during the year (see statement annexed),	4,327 74
Balance Nov. 30, 1917,	$4,628 98

Resources and Liabilities.

Resources.

Cash on hand,	$17,609 73	
November cash vouchers (paid from advance money), account of maintenance,	12,390 27	
Due from treasury of Commonwealth from available appropriation, account of November, 1917, schedule,	5,209 50	
		$35,209 50

Liabilities.

Schedule of November bills,	$35,209 50

Per Capita.

During the year the average number of inmates has been 1,569.80.
Total cost for maintenance, $431,028.52.
Equal to a weekly per capita cost of $5.2802.
Receipt from sales, $1,851.82.
Equal to a weekly per capita of $0.0226.
All other institution receipts, $52,864.58.
Equal to a weekly per capita of $0.6476.

INDUSTRIES FUND.

Balance Dec. 1, 1916,	$43 12
Receipts credited,	289 30
	$332 42
Expenditures, approved schedules (see statement annexed),	$226 65
Balance Nov. 30, 1917,	105 77
	$332 42

Expenditures.

Tools and machinery: —		
Crochet hooks,	$8 30	
Embroidery hoops,	74	
Frames,	2 00	
Knitting needles,	94	
Needles,	2 50	
Patterns,	4 28	
Shuttles,	70	
Stilettos,	47	
Freight,	6 01	
		$25 94
Materials: —		
Cones,	$21 83	
Electric wiring,	7 41	
Glass,	1 00	
Glazing,	11 22	
Seeds,	2 15	
Tapestry,	2 20	
Tatting thread,	75	
Thread,	154 15	
		200 71
Total,		$226 65

Special Appropriations.

Object.	Act or Resolve.	Whole Amount.	Expended during Fiscal Year.	Expended to Date.	Balance at End of Year.
Sewerage system,	Special Acts 1916, chap. 363,	$4,000 00	$3,956 72	$4,000 00	–
	Special Acts 1917, chap. 337,	5,000 00	371 02	371 02	$4,628 98
		$9,000 00	$4,327 74	$4,371 02	$4,628 98

Respectfully submitted,

E. V. SCRIBNER,
Treasurer.

Examined and found correct as compared with the records in the office of the Auditor of the Commonwealth.

ALONZO B. COOK,
Auditor.

STATEMENT OF FUNDS.

Patients' Fund.

Balance on hand Nov. 30, 1916,	$5,884 64	
Receipts,	5,358 50	
Interest accrued and distributed,	194 33	
		$11,437 47
Refunded,		5,220 32
		$6,217 15

Investment.

Worcester County Institution for Savings,	$2,000 00	
Worcester Five Cents Savings Bank,	1,000 00	
Worcester Mechanics Savings Bank,	1,000 00	
Balance Worcester Bank and Trust Company,	1,983 46	
Cash on hand Dec. 1, 1917,	233 69	
		$6,217 15

Lewis Fund.

Balance on hand Nov. 30, 1916,	$1,569 53	
Income,	60 77	
		$1,630 30
Expended for books, etc.,		29 85
		$1,600 45

Investment.

American Telephone and Telegraph Company collateral trust 4 per cent. bond,	$926 36	
Worcester County Institution for Savings,	349 44	
Mechanics National Bank, savings department,	321 52	
Balance Worcester Bank and Trust Company,	3 13	
		$1,600 45

Wheeler Fund.

Balance on hand Nov. 30, 1916,	$5,713 35	
Income,	238 49	
Worcester National Bank in liquidation,	1,290 00	
		$7,241 84
Expended for books,	$150 63	
6 shares Worcester National Bank,[1]	1,002 00	
		1,152 63
		$6,089 21

[1] Six shares of Worcester National Bank stock held in liquidation.

Investment.

American Telephone and Telegraph Company collateral trust 4 per cent. bond, ...	$712 50	
Worcester County Institution for Savings, . .	332 00	
Worcester Five Cents Savings Bank, ...	403 85	
Mechanics Savings Bank, ...	203 30	
Mechanics National Bank, savings department,	435 50	
Second Liberty Loan bonds, ...	4,000 00	
Balance Worcester Bank and Trust Company, .	2 06	
		$6,089 21

MANSON FUND.

Balance Worcester County Institution for Savings, ...	$1,310 47	
Income, ...	51 08	
		$1,361 55
Expended for entertainments, etc., ...		179 10
		$1,182 45

Investment.

Worcester County Institution for Savings, ...	$1,182 45

Respectfully submitted,

E. V. SCRIBNER,
Treasurer of the Corporation.

Nov. 30, 1917.

N. B. — The values assigned to the above securities are their respective purchase prices.

STATISTICAL TABLES

As adopted by American Medico-Psychological Association.

[Prescribed by Massachusetts Commission on Mental Diseases.]

TABLE 1. — *General Information.*

1. Date of opening as an institution for the insane: Jan. 18, 1833.
2. Type of institution: State.
3. Hospital plant: —

Value of hospital property: —	
Real estate, including buildings,	$2,039,566 31
Personal property,	204,826 25
Total,	$2,244,392 56

Total acreage of hospital property, 578.15.
Acreage under cultivation during year, 201.25.

4. Medical service: —

	Men.	Women.	Total.
Superintendents,	1	–	1
Assistant physicians,	7	1	8
Medical internes,	–	–	–
Clinical assistants,	–	–	–
Total,	8	1	9

5. Employees: —

	Males.	Females.	Total.
Graduate nurses,	2	25	27
Other nurses and attendants,	103	104	207
Social workers,	–	1	1
All other employees,	61	58	119
Total,	116	188	354

	Men.	Women.	Total.
6. Percentage of patients employed during year,	83	79	81

TABLE 2. — *Financial Statement.*

See treasurer's report for data requested under this table.

TABLE 3. — *Movement of Patient Population for the Year ending Sept. 30, 1917.*

	Insane.			Sane, Voluntary.			Inebriate.			Total on Books.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Patients on books of institution Sept. 30, 1916,	914	779	1,693	–	–	–	3	–	3	917	779	1,696
Admissions during year: —												
(*a*) First admissions,	253	174	427	3	–	3	–	1	1	256	175	431
(*b*) Readmissions,	150	118	268	–	2	2	–	–	–	150	120	270
Total admissions,	403	292	695	3	2	5	–	1	1	406	295	701
(*c*) Transfers from other institutions for the insane,	3	12	15	–	–	–	–	–	–	3	12	15
2. Total received during year,	406	304	710	3	2	5	–	1	1	409	307	716
3. Total under treatment during year,	1,320	1,083	2,403	3	2	5	3	1	4	1,326	1,086	2,412
Discharged from books during year: —												
(*a*) As recovered,	61	38	99	–	–	–	–	–	–	61	38	99
(*b*) As improved,	106	56	162	–	–	–	–	–	–	106	56	162
(*c*) As unimproved,	52	32	84	–	–	–	–	–	–	52	32	84
(*d*) As not insane,	17	6	23	–	2	2	3	–	3	20	8	28
(*e*) Transferred to other institutions for the insane,	73	23	96	–	–	–	–	1	1	73	24	97
(*f*) Died during year,	90	78	168	–	–	–	–	–	–	90	78	168
4. Total discharged from books during year,	399	233	632	–	2	2	3	1	4	402	236	638
5. Patients remaining on books of institution Sept. 30, 1917,	921	850	1,771	3	–	3	–	–	–	924	850	1,774
Supplementary Data.												
6*a*. Average daily number of patients on books during the year,	942.78	799.96	1,742.74	2.83	.18	3.01	.40	.16	.56	946.01	800.30	1,746.31
6*b*. Average daily number of patients actually in the institution during the year,	825.90	682.57	1,508.47	.45	.18	.63	.40	.16	.56	826.75	682.91	1,509.66
7*a*. Average daily number of patients in family care,	.23	46.86	47.09	–	–	–	–	–	–	.23	46.86	47.09
7*b*. Average daily number of patients on visit and escape,	116.65	70.53	187.18	2.38	–	2.38	–	–	–	119.03	70.53	189.56
8. Number of voluntary patients admitted during year,	6	2	8	3	2	5	–	–	–	9	4	13
9. Number of temporary-care cases admitted during the year,	120	51	171	–	–	–	–	–	–	120	51	171
10. Number of patients actually remaining in institution Sept. 30, 1917,	818	721	1,539	1	–	1	–	–	–	819	721	1,540

State,	742	578	1,320	1	–	1	–	–	–	743	578	1,321
Reimbursing,	35	75	110	–	–	–	–	–	–	35	75	110
Private,	41	68	109	–	–	–	–	–	–	41	68	109
11. Number of patients in family care Sept. 30, 1917,	–	45	45	–	–	–	–	–	–	–	45	45
State,	–	31	31	–	–	–	–	–	–	–	31	31
Self-supporting,	–	6	6	–	–	–	–	–	–	–	6	6
Private,	–	8	8	–	–	–	–	–	–	–	8	8
12. Number of different persons within the year,	1,307	1,072	2,379	3	2	5	3	1	4	1,313	1,074	2,387
13. Number of different persons admitted from the community,	398	290	688	3	2	5	–	1	1	401	292	693
14. Number of different persons dismissed, exclusive of transfers,	324	209	533	–	2	2	3	–	3	327	211	538
15. Number of non-insane patients or inmates in institution at end of institution year,	–	–	–	1	–	1	–	–	–	1	–	1
(*a*) Drug cases,	–	–	–	–	–	–	–	–	–	–	–	–
(*b*) Inebriates,	–	–	–	–	–	–	–	–	–	–	–	–
(*c*) Neurological cases,	–	–	–	–	–	–	–	–	–	–	–	–
(*d*) Epileptics (not feeble-minded),	–	–	–	–	–	–	–	–	–	–	–	–
(*e*) Feeble-minded cases (not epileptic),	–	–	–	1	–	1	–	–	–	1	–	1
(*f*) Feeble-minded epileptics,	–	–	–	–	–	–	–	–	–	–	–	–
(*g*) All other cases,	–	–	–	–	–	–	–	–	–	–	–	–
(*h*) Persons given advice or treatment in out-patient departments during year,	–	–	–	–	–	–	–	–	–	98	148	246

TABLE 4. — *Nativity of First Admissions and of Parents of First Admissions.*

Nativity.	Patients.			Parents of Male Patients.			Parents of Female Patients.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
United States,	114	85	199	60	54	114	45	45	90
Africa,	–	–	–	–	–	–	–	–	–
Asia,	–	–	–	–	–	–	–	–	–
Atlantic Islands,	–	1	1	–	–	–	1	1	2
Australia,	–	–	–	–	–	–	–	–	–
Austria,	6	1	7	6	6	12	1	1	2
Belgium,	–	1	1	–	–	–	1	1	2
Bohemia,	–	–	–	–	–	–	–	–	–
Canada,	31	15	46	43	45	88	17	21	38
Central America,	–	–	–	–	–	–	–	–	–
China,	2	–	2	2	2	4	–	–	–
Cuba,	–	–	–	–	–	–	–	–	–
Denmark,	–	–	–	–	–	–	–	–	–
England,	2	7	9	6	4	10	4	7	11
Europe,	1	–	1	1	1	2	–	–	–
Finland,	10	4	14	10	10	20	4	4	8
France,	1	1	2	1	2	3	1	1	2
Germany,	5	–	5	8	10	18	–	–	–
Greece,	10	1	11	10	10	20	1	1	2
Hawaii,	–	–	–	–	–	–	–	–	–
Holland,	–	–	–	–	–	–	–	–	–
Hungary,	–	–	–	–	–	–	–	–	–
India,	–	–	–	–	–	–	–	–	–
Ireland,	21	27	48	42	44	86	47	43	90
Italy,	6	4	10	6	6	12	4	4	8
Japan,	–	–	–	–	–	–	–	–	–
Mexico,	–	–	–	–	–	–	–	–	–
Norway,	–	–	–	1	2	3	–	–	–
Philippine Islands,	–	–	–	–	–	–	–	–	–
Poland,	7	1	8	7	7	14	1	1	2
Porto Rico,	–	–	–	–	–	–	–	–	–
Portugal,	–	2	2	–	–	–	3	3	6
Roumania,	–	–	–	–	–	–	–	–	–
Russia,	28	7	35	29	29	58	9	9	18
Scotland,	–	5	5	1	2	3	6	5	11
South America,	–	–	–	–	–	–	–	–	–
Spain,	–	–	–	–	–	–	–	–	–
Sweden,	5	7	12	7	6	13	10	10	20
Switzerland,	–	–	–	–	–	–	–	–	–
Turkey in Asia,	–	–	–	–	–	–	–	–	–
Turkey in Europe,	1	1	2	1	1	2	1	1	2
Wales,	–	–	–	–	–	–	–	–	–
West Indies,	–	–	–	–	–	–	–	–	–
Other countries,	1	–	1	1	1	2	–	–	–
Born at sea,	–	–	–	–	–	–	–	–	–
Total foreign born,	137	85	222	182	188	370	111	113	224
Unascertained,	2	4	6	11	11	22	18	16	34
Grand total,	253	174	427	253	253	506	174	174	348

TABLE 5. — *Citizens of First Admissions.*

	Males.	Females.	Totals.
Citizens by birth,	114	85	199
Citizens by naturalization,	23	1	24
Aliens,	73	17	90
Citizenship unascertained,	43	71	114
Total,	253	174	427

TABLE 6. — *Psychoses of First Admissions.*

PSYCHOSES.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,				–	–	–
2. Senile, total,				12	24	36
(*a*) Simple deterioration,	1	9	10			
(*b*) Presbyophrenic type,	1	–	1			
(*c*) Delirious and confused states,	3	10	13			
(*d*) Depressed and agitated states in addition to deterioration,	2	–	2			
(*e*) Paranoid states in addition to deterioration,	5	5	10			
3. With cerebral arteriosclerosis,				36	14	50
4. General paralysis,				30	14	44
5. With cerebral syphilis,				1	1	2
6. With Huntington's chorea,				–	–	–
7. With brain tumor,				–	–	–
8. With other brain or nervous diseases, total,				1	–	1
Cerebral embolism,	–	–	–			
Paralysis agitans,	–	–	–			
Tubercular or other forms of meningitis,	–	–	–			
Multiple sclerosis,	–	–	–			
Tabes,	1	–	1			
Acute chorea,	–	–	–			
Other conditions,	–	–	–			
9. Alcoholic, total,				53	5	58
(*a*) Pathological intoxication,	–	–	–			
(*b*) Delirium tremens,	8	–	8			
(*c*) Acute hallucinosis,	31	2	33			
(*d*) Acute paranoid type,	1	–	1			
(*e*) Korsakow's psychosis,	3	–	3			
(*f*) Chronic hallucinosis,	1	–	1			
(*g*) Chronic paranoid type,	3	–	3			
(*h*) Alcoholic deterioration,	6	3	9			
(*i*) Other types, acute or chronic,	–	–	–			
10. Due to drugs and other exogenous toxins, total,				–	–	–
(*a*) Morphine, cocaine, bromides, chloral, etc., alone or combined,	–	–	–			
(*b*) Metals, as lead, arsenic, etc.,	–	–	–			
(*c*) Gases,	–	–	–			
(*d*) Other exogenous toxins,	–	–	–			
11. With pellagra,				–	2	2
12. With other somatic diseases, total,				1	3	4
(*a*) Delirium with infectious diseases,	–	–	–			
(*b*) Post-infectious psychoses,	–	–	–			
(*c*) Exhaustion delirium,	–	2	2			
(*d*) Delirium of unknown origin,	–	–	–			
(*e*) Diseases of the ductless glands,	–	–	–			
(*f*) Cardiorenal disease,	–	–	–			
(*g*) Cancer,	–	–	–			
(*h*) Pernicious anæmia,	1	1	2			

TABLE 6. — *Psychoses of First Admissions* — Concluded.

PSYCHOSES.	Males.	Females.	Totals.	Males.	Females.	Totals.
13. Manic-depressive, total,	. .	. .	. .	4	10	14
(*a*) Manic type,	2	5	7			
(*b*) Depressive type,	2	5	7			
(*c*) Stupor,	–	–	–			
(*d*) Mixed type,	–	–	–			
(*e*) Circular type,	–	–	–			
14. Involution melancholia,	. .	. .	. .	2	9	11
15. Dementia præcox, total,	. .	. .	. .	78	66	144
(*a*) Paranoid type,	34	40	74			
(*b*) Katatonic type,	21	15	36			
(*c*) Hebephrenic type,	14	10	24			
(*d*) Simple type,	9	1	10			
16. Paranoia and paranoic conditions,	. .	. .	. .	1	1	2
17. Psychoneuroses, total,	. .	. .	. .	1	1	2
(*a*) Hysterical type,	–	1	1			
(*b*) Psychasthenic type,	–	–	–			
(*c*) Neurasthenic type,	1	–	1			
18. With mental deficiency,	. .	. .	. .	6	5	11
19. With constitutional psychopathic inferiority,	. .	. .	. .	1	1	2
20. Epileptic, total,	. .	. .	. .	6	4	10
(*a*) Deterioration,	4	1	5			
(*b*) Clouded states,	1	3	4			
(*c*) Other conditions,	1	–	1			
21. Undiagnosed,	. .	. .	. .	4	6	10
22. Not insane, total,	. .	. .	. .	16	8	24
(*a*) Epilepsy without psychosis,	1	–	1			
(*b*) Alcoholism without psychosis,	4	1	5			
(*c*) Drug addiction without psychosis,	–	–	–			
(*d*) Constitutional psychopathic inferiority without psychosis,	3	1	4			
(*e*) Mental deficiency without psychosis,	6	5	11			
(*f*) Others,	2	1	3			
Total,	. .	. .	. .	253	174	427

TABLE 7. — *Race of First Admissions classified with Reference to Psychoses.*

Race.	Total.			Psychoses.																				
				Traumatic.			Senile.			With cerebral arterio-sclerosis.			General paralysis.			With cerebral syphilis.			With Huntington's chorea.			With brain tumor.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
African (black),	2	5	7	–	–	–	–	–	–	–	1	1	1	2	3	–	–	–	–	–	–	–	–	–
American Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Armenian,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bulgarian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese,	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuban,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dutch and Flemish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
East Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
English,	16	8	24	–	–	–	3	2	5	2	–	2	2	–	2	–	–	–	–	–	–	–	–	–
Finnish,	10	4	14	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
French,	36	15	51	–	–	–	1	–	1	8	–	8	7	2	9	1	–	1	–	–	–	–	–	–
German,	8	–	8	–	–	–	–	–	–	4	–	4	2	–	2	–	–	–	–	–	–	–	–	–
Greek,	10	1	11	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hebrew,	4	2	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Irish,	47	45	92	–	–	–	3	10	13	3	3	6	3	4	7	–	1	1	–	–	–	–	–	–
Italian,	6	4	10	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Japanese,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Korean,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lithuanian,	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Magyar,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mexican,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pacific Islander,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portuguese,	–	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Roumanian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scandinavian,	6	9	15	–	–	–	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Scotch,	–	7	7	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Slavonic,	39	10	49	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–
Spanish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spanish-American,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syrian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Turkish,	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Welsh,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specific races,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mixed,	61	57	118	–	–	–	5	10	15	17	7	24	8	4	12	–	–	–	–	–	–	–	–	–
Race unascertained,	1	3	4	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Total,	253	174	427	–	–	–	12	24	36	36	14	50	30	14	44	1	1	2	–	–	–	–	–	–

TABLE 7. — *Race of First Admissions classified with Reference to Psychoses* — Continued.

Race.	Psychoses — Con.																										
	With other brain or nervous diseases.			Alcoholic.			Due to drugs and other exogenous toxins.			With pellagra.			With other somatic diseases.			Manic-depressive.			Involution melancholia.			Dementia præcox.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
African (black),	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2
American Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Armenian,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Bulgarian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
Cuban,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dutch and Flemish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
East Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	3	5
English,	–	–	–	3	–	3	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	4	2	6
Finnish,	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1	3	4	–	1	1	8	7	15
French,	1	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
German,	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	5
Greek,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	5
Hebrew,	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	3	3	11	17	28
Irish,	–	–	–	21	2	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	5
Italian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Japanese,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Korean,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lithuanian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Magyar,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Mexican,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pacific Islander,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portuguese,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Roumanian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	4	3	7
Scandinavian,	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Scotch,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	1
Slavonic,	–	–	–	9	2	11	–	–	–	–	–	–	–	–	–	1	2	3	2	–	2	21	5	26
Spanish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spanish-American,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syrian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2
Turkish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Welsh,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specific races,	–	–	–	12	–	12	–	–	–	–	2	2	–	2	2	1	2	3	–	1	1	13	19	32
Mixed,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1
Race unascertained,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	1	–	1	53	5	58	–	–	–	–	2	2	1	3	4	4	10	14	2	9	11	78	66	144

TABLE 7. — *Race of First Admissions classified with Reference to Psychoses* — Concluded.

Race.	Psychoses — Con.																							
	Paranoia and paranoic conditions.			Psycho-neuroses.			With mental deficiency.			With constitutional psychopathic inferiority.			Epileptic.			Undiagnosed.			Not insane.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
African (black),	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
American Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Armenian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bulgarian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chinese,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuban,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dutch and Flemish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
East Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
English,	–	–	–	–	1	1	–	–	–	–	–	–	2	–	2	–	–	–	2	1	3
Finnish,	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	1	–	1
French,	1	–	1	–	–	–	1	–	1	–	–	–	1	–	1	3	1	4	1	1	2
German,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greek,	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	1	–	1	1	1	2
Hebrew,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Irish,	–	–	–	1	–	1	–	1	1	–	–	–	1	–	1	–	2	2	4	–	4
Italian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	3
Japanese,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Korean,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lithuanian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Magyar,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mexican,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pacific Islander,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Portuguese,	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Roumanian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scandinavian,	–	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–

Scotch,	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–
Slavonic,	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2	1	3
Spanish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spanish-American,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syrian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Turkish,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Welsh,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Indian,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other specific races,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mixed,	–	–	–	–	–	–	3	–	3	–	–	–	1	4	5	–	2	2	1	4	5
Race unascertained,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	1	1	2	1	1	2	6	5	11	1	1	2	6	4	10	4	6	10	16	8	24

TABLE 8. — *Age of First Admissions classified with Reference to Principal Psychoses.*

Psychoses.	Total.			Years.																							
				under 15.			15–20.			20–25.			25–30.			30–35.			35–40.			40–45.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	24	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. With cerebral arteriosclerosis,	36	14	50	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
4. General paralysis,	30	14	44	–	–	–	–	–	–	–	–	–	2	–	2	1	1	2	2	7	9	5	2	7
5. With cerebral syphilis,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
9. Alcoholic,	53	5	58	–	–	–	–	–	–	4	–	4	3	–	3	15	–	15	6	1	7	7	1	8
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	2	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
12. With other somatic diseases,	1	3	4	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	2	2
13. Manic-depressive,	4	10	14	–	–	–	–	1	1	–	2	2	–	1	1	2	–	2	–	2	2	–	1	1
14. Involution melancholia,	2	9	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	7
15. Dementia præcox,	78	66	144	–	–	–	7	3	10	18	9	27	17	7	24	15	18	33	11	7	18	3	7	10
16. Paranoia and paranoic conditions,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17. Psychoneuroses,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	1
18. With mental deficiency,	6	5	11	–	–	–	1	1	2	–	1	1	1	–	1	–	–	–	1	1	2	1	1	2
19. With constitutional psychopathic inferiority,	1	1	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
20. Epileptic,	6	4	10	–	–	–	–	–	–	1	1	2	1	1	2	–	2	2	–	–	–	2	–	2
21. Undiagnosed,	4	6	10	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	–	–	–	1	–	1
22. Not insane,	16	8	24	–	–	–	1	1	2	3	2	5	1	–	1	4	–	4	1	1	2	3	1	4
Total,	253	174	427	–	–	–	9	6	15	27	16	43	26	10	36	38	24	62	22	20	42	23	22	45

TABLE 8. — *Age of First Admissions classified with Reference to Principal Psychoses* — Concluded.

Psychoses.	Years. 45–50.			50–55.			55–60.			60–65.			65–70.			70–75.			75–80.			Over 80.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	–	–	–	–	–	–	2	–	2	2	2	4	1	7	8	3	7	10	1	3	4	3	5	8
3. With cerebral arteriosclerosis,	2	1	3	4	2	6	5	3	8	5	4	9	9	–	9	5	1	6	2	–	2	4	2	6
4. General paralysis,	12	1	13	3	1	4	2	2	4	1	–	1	1	–	1	–	–	–	1	–	1	–	–	–
5. With cerebral syphilis,	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. Alcoholic,	8	1	9	5	1	6	4	–	4	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	–	1	1	1	–	1	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
14. Involution melancholia,	2	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15. Dementia præcox,	4	6	10	2	4	6	–	4	4	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
16. Paranoia and paranoic conditions,	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
17. Psychoneuroses,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	–	–	–	2	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19. With constitutional psychopathic inferiority,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20. Epileptic,	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–
21. Undiagnosed,	1	–	1	–	2	2	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
22. Not insane,	–	1	1	1	–	1	–	1	1	1	1	2	–	–	–	1	–	1	–	–	–	–	–	–
Total,	29	13	42	20	11	31	14	15	29	12	10	22	12	9	21	9	8	17	5	3	8	7	7	14

TABLE 9. — *Degree of Education of First Admissions classified with Reference to Psychoses.*

Psychoses.	Total.			Illiterate.			Reads and Writes.			Common School.			High School.			College.			Unascertained.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	24	36	1	3	4	2	3	5	5	11	16	–	2	2	–	–	–	4	5	9
3. With cerebral arteriosclerosis,	36	14	50	2	–	2	3	2	5	22	6	28	2	1	3	2	–	2	5	5	10
4. General paralysis,	30	14	44	1	1	2	2	2	4	18	9	27	–	–	–	2	–	2	7	2	9
5. With cerebral syphilis,	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
9. Alcoholic,	53	5	58	13	1	14	12	2	14	25	2	27	1	–	1	–	–	–	2	–	2
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	2	2	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	1	3	4	–	–	–	1	–	1	–	3	3	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	4	10	14	–	–	–	–	3	3	3	3	6	–	2	2	–	–	–	1	2	3
14. Involution melancholia,	2	9	11	–	–	–	1	3	4	–	4	4	–	2	2	–	–	–	1	–	1
15. Dementia præcox,	78	66	144	15	5	20	14	13	27	34	35	69	6	6	12	1	–	1	8	7	15
16. Paranoia and paranoic conditions,	1	1	2	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
17. Psychoneuroses,	1	1	2	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	6	5	11	1	2	3	2	2	4	1	–	1	–	–	–	–	–	–	2	1	3
19. With constitutional psychopathic inferiority,	1	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	1
20. Epileptic,	6	4	10	–	–	–	1	1	2	4	2	6	–	–	–	–	–	–	1	1	2
21. Undiagnosed,	4	6	10	–	1	1	–	–	–	2	5	7	–	–	–	1	–	1	1	–	1
22. Not insane,	16	8	24	2	2	4	3	3	6	10	2	12	1	1	2	–	–	–	–	–	–
Total,	253	174	427	35	16	51	42	37	79	126	84	210	10	14	24	6	–	6	34	23	57

TABLE 10. — *Environment of First Admissions classified with Reference to Principal Psychoses.*

Psychoses.	Total.			Urban.			Rural.			Unascertained.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	24	36	9	18	27	3	6	9	–	–	–
3. With cerebral arteriosclerosis,	36	14	50	27	11	38	9	3	12	–	–	–
4. General paralysis,	30	14	44	26	14	40	4	–	4	–	–	–
5. With cerebral syphilis,	1	1	2	1	1	2	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	1	–	1	–	–	–	–	–	–
9. Alcoholic,	53	5	58	40	5	45	13	–	13	–	–	–
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	2	2	–	2	2	–	–	–	–	–	–
12. With other somatic diseases,	1	3	4	1	1	2	–	2	2	–	–	–
13. Manic-depressive,	4	10	14	4	9	13	–	1	1	–	–	–
14. Involution melancholia,	2	9	11	1	6	7	1	3	4	–	–	–
15. Dementia præcox,	78	66	144	66	51	117	12	15	27	–	–	–
16. Paranoia and paranoic conditions,	1	1	2	–	–	–	1	1	2	–	–	–
17. Psychoneuroses,	1	1	2	1	–	1	–	1	1	–	–	–
18. With mental deficiency,	6	5	11	5	4	9	1	1	2	–	–	–
19. With constitutional psychopathic inferiority,	1	1	2	1	–	1	–	1	1	–	–	–
20. Epileptic,	6	4	10	6	3	9	–	1	1	–	–	–
21. Undiagnosed,	4	6	10	2	5	7	2	1	3	–	–	–
22. Not insane,	16	8	24	14	5	19	2	3	5	–	–	–
Total,	253	174	427	205	135	340	48	39	87	–	–	–

TABLE 11. — *Economic Condition of First Admissions classified with Reference to Principal Psychoses.*

Psychoses.	Total.			Dependent.			Marginal.			Comfortable.			Unascertained.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	24	36	4	17	21	5	4	9	3	3	6	–	–	–
3. With cerebral arteriosclerosis,	36	14	50	6	4	10	6	4	10	24	5	29	–	1	1
4. General paralysis,	30	14	44	4	2	6	9	9	18	17	3	20	–	–	–
5. With cerebral syphilis,	1	1	2	–	1	1	–	–	–	1	–	1	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–
9. Alcoholic,	53	5	58	2	–	2	21	4	25	29	1	30	1	–	1
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	2	2	–	1	1	–	1	1	–	–	–	–	–	–
12. With other somatic diseases,	1	3	4	–	–	–	1	1	2	–	2	2	–	–	–
13. Manic-depressive,	4	10	14	–	–	–	2	5	7	2	5	7	–	–	–
14. Involution melancholia,	2	9	11	–	–	–	1	6	7	1	3	4	–	–	–
15. Dementia præcox,	78	66	144	11	5	16	31	43	74	36	18	54	–	–	–
16. Paranoia and paranoic conditions,	1	1	2	–	1	1	–	–	–	1	–	1	–	–	–
17. Psychoneuroses,	1	1	2	–	–	–	–	1	1	1	–	1	–	–	–
18. With mental deficiency,	6	5	11	2	3	5	3	1	4	1	1	2	–	–	–
19. With constitutional psychopathic inferiority,	1	1	2	1	1	2	–	–	–	–	–	–	–	–	–
20. Epileptic,	6	4	10	2	1	3	2	3	5	2	–	2	–	–	–
21. Undiagnosed,	4	6	10	–	1	1	1	4	5	3	1	4	–	–	–
22. Not insane,	16	8	24	2	4	6	8	4	12	6	–	6	–	–	–
Total,	253	174	427	34	41	75	91	90	181	127	42	169	1	1	2

TABLE 12. — *Use of Alcohol by First Admissions classified with Reference to Principal Psychoses.*

Psychoses.	Total.			Abstinent.			Temperate.			Intemperate.			Unascertained.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	24	36	2	–	2	2	16	18	4	2	6	4	6	10
3. With cerebral arteriosclerosis,	36	14	50	1	–	1	18	8	26	9	1	10	8	5	13
4. General paralysis,	30	14	44	–	–	–	15	8	23	9	1	10	6	5	11
5. With cerebral syphilis,	1	1	2	–	–	–	1	1	2	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–
9. Alcoholic,	53	5	58	–	–	–	–	–	–	53	5	58	–	–	–
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	2	2	–	–	–	–	1	1	–	–	–	–	1	1
12. With other somatic diseases,	1	3	4	–	–	–	–	3	3	–	–	–	1	–	1
13. Manic-depressive,	4	10	14	–	–	–	2	9	11	2	1	3	–	–	–
14. Involution melancholia,	2	9	11	–	–	–	1	9	10	1	–	1	–	–	–
15. Dementia præcox,	78	66	144	4	–	4	33	46	79	33	10	43	8	10	18
16. Paranoia and paranoic conditions,	1	1	2	–	–	–	1	1	2	–	–	–	–	–	–
17. Psychoneuroses,	1	1	2	–	–	–	1	1	2	–	–	–	–	–	–
18. With mental deficiency,	6	5	11	1	1	2	3	1	4	2	2	4	–	1	1
19. With constitutional psychopathic inferiority,	1	1	2	–	–	–	1	–	1	–	–	–	–	1	1
20. Epileptic,	6	4	10	–	–	–	3	4	7	2	–	2	1	–	1
21. Undiagnosed,	4	6	10	–	–	–	1	2	3	3	2	5	–	2	2
22. Not insane,	16	8	24	1	–	1	5	5	10	9	3	12	1	–	1
Total,	253	174	427	9	1	10	88	115	203	127	27	154	29	31	60

TABLE 13. — *Marital Condition of First Admissions classified with Reference to Principal Psychoses.*

Psychoses.	Total.			Single.			Married.			Widowed.			Separated.			Divorced.			Unascertained.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	24	36	3	6	9	5	2	7	4	16	20	–	–	–	–	–	–	–	–	–
3. With cerebral arteriosclerosis,	36	14	50	2	1	3	26	6	32	7	6	13	1	–	1	–	–	–	–	1	1
4. General paralysis,	30	14	44	10	4	14	18	7	25	1	3	4	–	–	–	1	–	1	–	–	–
5. With cerebral syphilis,	1	1	2	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
9. Alcoholic,	53	5	58	19	–	19	24	5	29	9	–	9	–	–	–	1	–	1	–	–	–
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	2	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	1	3	4	1	–	1	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	4	10	14	1	4	5	3	5	8	–	1	1	–	–	–	–	–	–	–	–	–
14. Involution melancholia,	2	9	11	–	3	3	1	4	5	–	2	2	–	–	–	–	–	–	1	–	1
15. Dementia præcox,	78	66	144	57	31	88	20	27	47	1	5	6	–	1	1	–	1	1	–	1	1
16. Paranoia and paranoic conditions,	1	1	2	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
17. Psychoneuroses,	1	1	2	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	6	5	11	4	3	7	2	2	4	–	–	–	–	–	–	–	–	–	–	–	–
19. With constitutional psychopathic inferiority,	1	1	2	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
20. Epileptic,	6	4	10	3	2	5	3	2	5	–	–	–	–	–	–	–	–	–	–	–	–
21. Undiagnosed,	4	6	10	2	3	5	2	2	4	–	1	1	–	–	–	–	–	–	–	–	–
22. Not insane,	16	8	24	9	3	12	7	3	10	–	1	1	–	1	1	–	–	–	–	–	–
Total,	253	174	427	112	62	174	115	69	184	22	38	60	1	2	3	2	1	3	1	2	3

TABLE 14. — *Psychoses of Readmissions.*

PSYCHOSES.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,				–	–	–
2. Senile, total,				5	2	7
(a) Simple deterioration,	1	–	1			
(b) Presbyophrenic type,	–	–	–			
(c) Delirious and confused states,	4	1	5			
(d) Depressed and agitated states in addition to deterioration,	–	–	–			
(e) Paranoid states in addition to deterioration,	–	1	1			
3. With cerebral arteriosclerosis,				8	2	10
4. General paralysis,				8	16	24
5. With cerebral syphilis,				–	–	–
6. With Huntington's chorea,				1	–	1
7. With brain tumor,				–	–	–
8. With brain or nervous diseases, total,				1	1	2
Cerebral embolism,	–	–	–			
Paralysis agitans,	–	–	–			
Tubercular or other forms of meningitis,	–	1	1			
Multiple sclerosis,	–	–	–			
Tabes,	1	–	1			
Acute chorea,	–	–	–			
Other conditions,	–	–	–			
9. Alcoholic, total,				27	1	28
(a) Pathological intoxication,	–	–	–			
(b) Delirium tremens,	2	–	2			
(c) Acute hallucinosis,	13	–	13			
(d) Acute paranoid type,	–	–	–			
(e) Korsakow's psychosis,	3	1	4			
(f) Chronic hallucinosis,	–	–	–			
(g) Chronic paranoid type,	3	–	3			
(h) Alcoholic deterioration,	6	–	6			
(i) Other types, acute or chronic,	–	–	–			
10. Due to drugs and other exogenous toxins, total,				–	2	2
(a) Morphine, cocaine, bromides, chloral, etc., alone or combined,	–	2	2			
(b) Metals, as lead, arsenic, etc.,	–	–	–			
(c) Gases,	–	–	–			
(d) Other exogenous toxins,	–	–	–			
11. With pellagra,				–	–	–
12. With other somatic diseases, total,				–	–	–
(a) Delirium with infectious diseases,	–	–	–			
(b) Post-infectious psychoses,	–	–	–			
(c) Exhaustion delirium,	–	–	–			
(d) Delirium of unknown origin,	–	–	–			
(e) Diseases of the ductless glands,	–	–	–			
(f) Cardiorenal disease,	–	–	–			
(g) Cancer,	–	–	–			
(h) Other diseases or conditions,	–	–	–			
13. Manic-depressive, total,				13	27	40
(a) Manic type,	7	13	20			
(b) Depressive type,	6	12	18			
(c) Stupor,	–	–	–			
(d) Mixed type,	–	1	1			
(e) Circular type,	–	1	1			
14. Involution melancholia,				–	3	3
15. Dementia præcox, total,				64	62	126
(a) Paranoid type,	25	33	58			
(b) Katatonic type,	23	23	46			
(c) Hebephrenic type,	14	5	19			
(d) Simple type,	2	1	3			
16. Paranoid and paranoic conditions,				1	1	2
17. Psychoneuroses, total,				–	–	–
(a) Hysterical type,	–	–	–			
(b) Psychasthenic type,	–	–	–			
(c) Neurasthenic type,	–	–	–			
18. With mental deficiency,				6	4	10
19. With constitutional psychopathic inferiority,				1	1	2
20. Epileptic, total,				1	3	4
(a) Deterioration,	1	1	2			
(b) Clouded states,	–	2	2			
(c) Other conditions,	–	–	–			

TABLE 14. — *Psychoses of Readmissions* — Concluded.

PSYCHOSES.	Males.	Females.	Totals.	Males.	Females.	Totals.
21. Undiagnosed,	. .	. .	. .	–	2	2
22. Not insane, total,	. .	. .	. .	4	1	5
(*a*) Epilepsy without psychosis,	–	–	–			
(*b*) Alcoholism without psychosis,	1	–	1			
(*c*) Drug addiction without psychosis,	–	–	–			
(*d*) Constitutional psychopathic inferiority without psychosis,	1	–	1			
(*e*) Mental deficiency without psychosis,	2	1	3			
(*f*) Others,	–	–	–			
Total,	. .	. .	. .	150	118	268

TABLE 15. — *Discharges of Patients classified with Reference to Principal Psychoses and Condition of Discharge.*

Psychoses.	Total.			Recovered.			Improved.			Unimproved.			Not Insane.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	1	1	2	–	–	–	–	–	–	1	1	2	–	–	–
3. With cerebral arteriosclerosis,	10	4	14	–	–	–	6	3	9	4	1	5	–	–	–
4. General paralysis,	13	3	16	–	–	–	10	2	12	3	1	4	–	–	–
5. With cerebral syphilis,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–
9. Alcoholic,	76	8	84	47	4	51	23	4	27	6	–	6	–	–	–
10. Due to drugs and other exogenous toxins,	3	1	4	1	1	2	2	–	2	–	–	–	–	–	–
11. With pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	2	3	5	2	3	5	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	14	40	54	8	25	33	5	14	19	1	1	2	–	–	–
14. Involution melancholia,	4	4	8	–	2	2	4	2	6	–	–	–	–	–	–
15. Dementia præcox,	67	48	115	–	–	–	41	25	66	26	23	49	–	–	–
16. Paranoia and paranoic conditions,	2	–	2	–	–	–	–	–	–	2	–	2	–	–	–
17. Psychoneuroses,	1	3	4	–	3	3	–	–	–	1	–	1	–	–	–
18. With mental deficiency,	14	5	19	–	–	–	10	3	13	4	2	6	–	–	–
19. With constitutional psychopathic inferiority,	2	1	3	–	–	–	1	1	2	1	–	1	–	–	–
20. Epileptic,	5	4	9	–	–	–	3	2	5	2	2	4	–	–	–
21. Undiagnosed,	3	1	4	3	–	3	–	–	–	–	1	1	–	–	–
22. Not insane,	17	6	23	–	–	–	–	–	–	–	–	–	17	6	23
Total,	236	132	368	61	38	99	106	56	162	52	32	84	17	6	23

TABLE 16. — *Causes of Death of Patients classified with Reference to Principal Psychoses.*

Cause of Death.	Total.			Psychoses.																				
				Traumatic.			Senile.			With Cerebral Arterio-sclerosis.			General Paralysis.			With Cerebral Syphilis.			With Huntington's Chorea.			With Brain Tumor.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
General Diseases.																								
Facial erysipelas,	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia from gangrene of left leg,	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Septicæmia from cellulitis of face,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia from decubitus,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pellagra,	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the lungs,	7	9	16	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Miliary tuberculosis,	1	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Carcinoma of intestines,	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of uterus,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of tongue,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Multiple epithelial carcinomata,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heat exhaustion,	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	1	–	–	–
Toxic delirium (due to alcohol),	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Nervous System.																								
Syphilitic cerebrospinal meningitis,	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cerebral hemorrhage,	6	3	9	–	–	–	–	–	–	5	1	6	–	–	–	–	–	–	–	–	–	–	–	–
General paralysis of the insane,	13	5	18	–	–	–	–	–	–	–	–	–	13	5	18	–	–	–	–	–	–	–	–	–
Hemorrhage into medulla,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Exhaustion during manic excitement,	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Circulatory System.																								
Chronic endocarditis,	2	10	12	–	–	–	–	6	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute myocarditis,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic myocarditis,	3	3	6	–	–	–	–	2	2	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Arteriosclerosis,	2	–	2	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Cardio-thrombosis,	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Cardiovascular renal disease,	3	6	9	–	–	–	–	3	3	2	2	4	–	–	–	1	–	1	–	–	–	–	–	–

Diseases of the Respiratory System.																											
Acute bronchitis,	2	1	3	–	–	–	1	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chronic bronchitis,	2	–	2	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Broncho-pneumonia,	17	10	27	–	–	–	4	6	10	5	1	6	4	–	4	–	–	–	–	–	–	1	1	–	–	–
Lobar pneumonia,	10	8	18	–	–	–	2	2	4	6	3	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tubercular pneumonia,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pleurisy with effusion,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulmonary abscess,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulmonary œdema,	2	–	2	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pulmonary infarct,	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Pulmonary syphilis,	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Digestive System.																											
Acute indigestion and chronic nephritis,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastric dilatation with cardiac paralysis,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Capillary hemorrhage of the stomach,	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Enterocolitis,	–	1	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intestinal obstruction,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Biliary calculi,	1	1	2	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suppurative cholecystitis,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Genitourinary System.																											
Acute nephritis,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic interstitial nephritis,	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcerative prostatitis and myocardial degeneration,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Accidents, Violence and Sudden Deaths.																											
Asphyxiation (food in trachea and bronchi),	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Formaldehyde poisoning and lobar pneumonia (suicidal attempt previous to commitment),	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Multiple injuries (suicidal attempt previous to commitment),	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	90	78	168	–	1	1	12	19	31	31	11	42	22	10	32	1	–	1	1	1	2	–	–	–		

TABLE 16. — *Causes of Death of Patients classified with Reference to Principal Psychoses* — Continued.

Cause of Death.	Psychoses — *Con.*																							
	With other brain or nervous diseases.			Alcoholic.			Due to drugs and other exogenous toxins.			With pellagra.			With other somatic diseases.			Manic-depressive.			Involution melancholia.			Dementia præcox.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
General Diseases.																								
Facial erysipelas,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1
Septicæmia from gangrene of left leg,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia from cellulitis of face,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Septicæmia from decubitus,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pellagra,	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Tuberculosis of the lungs,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	4	1	–	1	4	4	8
Miliary tuberculosis,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of intestines,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of uterus,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Carcinoma of tongue,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Multiple epithelial carcinomata,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heat exhaustion,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Toxic delirium (due to alcohol),	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Nervous System.																								
Syphilitic cerebrospinal meningitis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hemorrhage,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1
General paralysis of the insane,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemorrhage into medulla,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Exhaustion during manic excitement,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–
Diseases of the Circulatory System.																								
Chronic endocarditis,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2
Acute myocarditis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Chronic myocarditis,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Arteriosclerosis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cardio-thrombosis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cardiovascular renal disease,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Diseases of the Respiratory System.																									
Acute bronchitis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chronic bronchitis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Broncho-pneumonia,	–	–	–	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	
Lobar pneumonia,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	
Tubercular pneumonia,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Pleurisy with effusion,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Pulmonary abscess,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
Pulmonary œdema,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Pulmonary infarct,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Pulmonary syphilis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diseases of the Digestive System.																									
Acute indigestion and chronic nephritis,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Gastric dilatation with cardiac paralysis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Capillary hemorrhage of the stomach,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Enterocolitis,	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Intestinal obstruction,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	
Biliary calculi,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
Suppurative cholecystitis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Diseases of the Genitourinary System.																									
Acute nephritis,	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
Chronic interstitial nephritis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Ulcerative prostatitis and myocardial degeneration,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	
Accidents, Violence and Sudden Deaths.																									
Asphyxiation (food in trachea and bronchi),	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Formaldehyde poisoning and lobar pneumonia (suicidal attempt previous to commitment),	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	
Multiple injuries (suicidal attempt previous to commitment),	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
Total,	1	–	1	6	3	9	–	–	–	–	–	–	1	–	1	4	12	16	3	2	5	5	12	17	

TABLE 16. — *Causes of Death of Patients classified with Reference to Principal Psychoses* — Concluded.

Cause of Death.	Psychoses — *Con.*																							
	Paranoia and paranoic conditions.			Psycho-neuroses.			With mental deficiency.			With constitutional psychopathic inferiority.			Epileptic.			Undiagnosed.			Not insane.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
General Diseases.																					
Facial erysipelas,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia from gangrene of left leg,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia from cellulitis of face,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicæmia from decubitus,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of the lungs,	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Miliary tuberculosis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of intestines,	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of uterus,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carcinoma of tongue,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Multiple epithelial carcinomata,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heat exhaustion,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Toxic delirium (due to alcohol),	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diseases of the Nervous System.																					
Syphilitic cerebrospinal meningitis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hemorrhage,	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
General paralysis of the insane,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hemorrhage into medulla,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Exhaustion during manic excitement,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Diseases of the Circulatory System.																					
Chronic endocarditis,	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Acute myocarditis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic myocarditis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardio-thrombosis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cardiovascular renal disease,	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Respiratory System.																					
Acute bronchitis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic bronchitis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Broncho-pneumonia,	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lobar pneumonia,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Tubercular pneumonia,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy with effusion,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary abscess,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary œdema,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary infarct,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary syphilis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Digestive System.																					
Acute indigestion and chronic nephritis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric dilatation with cardiac paralysis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Capillary hemorrhage of the stomach,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterocolitis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Biliary calculi,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suppurative cholecystitis,	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the Genitourinary System.																					
Acute nephritis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Chronic interstitial nephritis,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcerative prostatitis and myocardial degeneration,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents, Violence and Sudden Deaths.																					
Asphyxiation (food in trachea and bronchi),	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Formaldehyde poisoning and lobar pneumonia (suicidal attempt previous to commitment),	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Multiple injuries (suicidal attempt previous to commitment),	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total,	-	2	2	-	-	-	2	2	4	1	-	1	-	1	1	-	2	2	-	-	-

TABLE 17. — *Age of Patients at Time of Death classified with Reference to Principal Psychoses.*

Psychoses.	Total.			Years.																							
				under 15.			15–20.			20–25.			25–30.			30–35.			35–40.			40–45.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	19	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. With cerebral arteriosclerosis,	31	11	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. General paralysis,	22	10	32	–	–	–	–	–	–	–	1	1	1	–	1	2	1	3	6	3	9	1	3	4
5. With cerebral syphilis,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. Alcoholic,	6	3	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	1	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	4	12	16	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	–	1
14. Involution melancholia,	3	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15. Dementia præcox,	5	12	17	–	–	–	–	–	–	1	1	2	–	–	–	1	2	3	1	–	1	1	1	2
16. Paranoia and paranoic conditions,	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17. Psychoneuroses,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	2	2	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	1	–	1	1
19. With constitutional psychopathic inferiority,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20. Epileptic,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21. Undiagnosed,	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22. Not insane,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	90	78	168	–	–	–	–	–	–	2	2	4	2	1	3	3	3	6	8	5	13	4	6	10

TABLE 17. — *Age of Patients at Time of Death classified with Reference to Principal Psychoses* — Concluded.

Psychoses.	Years.																							
	45-50.			50-55.			55-60.			60-65.			65-70.			70-75.			75-80.			over 80.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	–	–	–	–	1	1	–	–	–	1	4	5	2	4	6	4	6	10	1	1	2	4	3	7
3. With cerebral arteriosclerosis,	1	–	1	3	–	3	1	1	2	5	2	7	5	–	5	9	3	12	3	1	4	4	4	8
4. General paralysis,	6	1	7	4	–	4	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
5. With cerebral syphilis,	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
9. Alcoholic,	1	1	2	–	1	1	1	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	–	–	–	2	1	3	1	3	4	–	2	2	–	2	2	–	1	1	–	1	1	–	–	–
14. Involution melancholia,	–	–	–	–	1	1	1	–	1	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–
15. Dementia præcox,	–	–	–	–	3	3	1	–	1	–	2	2	–	–	–	–	–	–	–	1	1	–	2	2
16. Paranoia and paranoic conditions,	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
17. Psychoneuroses,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
19. With constitutional psychopathic inferiority,	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20. Epileptic,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
21. Undiagnosed,	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22. Not insane,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	8	2	10	11	7	18	5	8	13	14	12	26	8	7	15	13	10	23	4	5	9	8	10	18

TABLE 18. — *Total Duration of Hospital Life of Patients Dying in Hospital classified According to Psychoses.*

Psychoses.	Total.			Months.												Years.					
				Less than 1.			1–3.			4–7.			8–12.			1–2.			3–4.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	12	19	31	1	5	6	3	3	6	2	1	3	3	1	4	1	3	4	–	2	2
3. With cerebral arteriosclerosis,	31	11	42	13	1	14	7	1	8	2	1	3	1	2	3	4	2	6	3	–	3
4. General paralysis,	22	10	32	2	1	3	5	4	9	1	–	1	2	1	3	9	3	12	2	–	2
5. With cerebral syphilis,	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. Alcoholic,	6	3	9	2	2	4	–	–	–	–	–	–	–	–	–	2	–	2	1	1	2
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	4	12	16	1	3	4	1	1	2	–	–	–	–	1	1	1	2	3	–	1	1
14. Involution melancholia,	3	2	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	1	1	2
15. Dementia præcox,	5	12	17	–	2	2	–	–	–	1	1	2	–	–	–	1	–	1	–	1	1
16. Paranoia and paranoic conditions,	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
17. Psychoneuroses,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	2	2	4	–	1	1	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2
19. With constitutional psychopathic inferiority,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
20. Epileptic,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21. Undiagnosed,	–	2	2	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22. Not insane,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	90	78	168	22	17	39	16	9	25	6	3	9	6	5	11	21	10	31	9	9	18

TABLE 18. — *Total Duration of Hospital Life of Patients Dying in Hospital classified According to Psychoses* — Concluded.

Psychoses.	Years.																				
	5–10.			10–15.			15–20.			20–25.			25–30.			35–40.			40–45.		
	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.	Males.	Females.	Totals.
1. Traumatic,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Senile,	2	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. With cerebral arteriosclerosis,	1	3	4	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
4. General paralysis,	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. With cerebral syphilis,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. With Huntington's chorea,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7. With brain tumor,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8. With other brain or nervous diseases,	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. Alcoholic,	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
10. Due to drugs and other exogenous toxins,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. With pellagra,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
12. With other somatic diseases,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13. Manic-depressive,	–	2	2	1	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
14. Involution melancholia,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15. Dementia præcox,	2	2	4	1	3	4	–	1	1	–	–	–	–	–	–	–	1	1	–	1	1
16. Paranoia and paranoic conditions,	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
17. Psychoneuroses,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18. With mental deficiency,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
19. With constitutional psychopathic inferiority,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20. Epileptic,	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21. Undiagnosed,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22. Not insane,	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Total,	7	15	22	2	6	8	–	1	1	–	1	1	1	–	1	–	1	1	–	1	1

TABLE 19. — *Family Care Department.*

	Males.	Females.	Totals.
Remaining Sept. 30, 1916,	1	46	47
Admitted within the year,	3	26	29
Nominally returned from visit for discharge,	–	1	1
Whole number of cases within the year,	4	73	77
Dismissed within the year,	4	28	32
Returned to institution,	3	20	23
Discharged,	1	5	6
Died,	–	1	1
Visit,	–	–	–
Escaped,	–	2	2
Remaining Sept. 30, 1917,	–	45	45
Supported by the State,	–	31	31
Private,	–	8	8
Self-supporting,	–	6	6
Number of different persons within the year,	4	69	73
Number of different persons admitted,	3	24	27
Number of different persons dismissed,	4	27	31
Daily average number,	.23	46.86	47.09
State,	–	34.55	34.55
Private,	–	5.88	5.88
Self-supporting,	.23	6.43	6.66